


SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:			
PART NO: LCB2012-152Y-N				DWG.NO: ME4561478			
CUSTOMER PART NO:				CUST.DWG.NO:			
<p>(1) DIMENSIONS (UNIT: mm)</p> 				A	2.00 ± 0.2	m/m	
				B	1.25 ± 0.2	m/m	
				C	0.90 ± 0.2	m/m	
				D	0.2~0.8	m/m	
				E		m/m	
				F		m/m	
				G		m/m	
				H		m/m	
				I		m/m	
				J		m/m	
(2) ELECTRICAL REQUIREMENTS				(3) REMARK:			
Z (Ω)	$1500 \pm 25\%$	TEST FREQ	100MHz / 500mV				
RDC (Ω)	0.3 (MAX)	TEST FREQ					
IDC (A)	1 (MAX)	TEST FREQ					
				APPROVED BY 吳載敏			
				CHECKED BY 張明德			
				DRAWN BY 黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :			DATE :					
PART NO : LCB2012-152Y-N			DWG.NO : ME4561478					
CUSTOMER PART NO :			CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	DIMENSION (UNIT : mm)					
FREQ	100MHz /500mV							
SPEC	1500 $\pm 25\%$	0.3 (MAX)						
1	1223.965	0.243						
2	1205.716	0.254						
3	1197.143	0.260						
4	1217.883	0.237						
5	1207.523	0.266						
6	1197.745	0.256						
7	1176.390	0.250						
8	1266.644	0.253						
9	1238.735	0.249						
10	1202.629	0.246						
\bar{X}	1213.44	0.251						
R	90.25	0.029						
			APPROVED BY 吳載敏					
			CHECKED BY 張明德					
			DRAWN BY 黃慧診					

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB2012-152Y-N

